

STANDARD DIE SETS		
Size	Range (mm)	Lenght
38-06	6-8	45
38-08	8-11	45
38-11	11-14	45
38-14	14-17	45
38-17	17-20	45
38-20	20-23	55
38-23	23-26	55
38-26	26-30	55
38-30S	30-34	60
38-34S	34-39	60
38-39S	39-45	65
38-45S	45-51	65
38-51S	51-61	65

TECHNICAL SPECIFICATIONS	
Max Hose Size	1" 4 SH, 1 1/2"
Crimping Force (kN)	1200
Max Crimping Diameter (mm)	61
Max Opening (mm)	die diameter + 15
Motorisation	0.37kW 230V 1ph 50Hz
Control	Micrometer
Master Dies Opening / Length (mm)	90/64,5
Crimping range (mm)	6 – 61
Crimping Unite Weight (kg)	55
Crimping Unit Dimensions (LxWxH mm)	630 x 330 x 410



STANDARD DIE SETS		
Size	Range (mm)	Length
38-06	6-8	45
38-08	8-11	45
38-11	11-14	45
38-14	14-17	45
38-17	17-20	45
38-20	20-23	55
38-23	23-26	55
38-26	26-30	55
38-30S	30-34	60
38-34S	34-39	60
38-39S	39-45	65
38-45S	45-51	65
38-51S	51-61	65

TECHNICAL SPECIFICATIONS	
Max Hose Size	1" 4 SH, 1 1/2"
Crimping Force (kN)	1200
Max Crimping Diameter (mm)	61
Max Opening (mm)	die diameter + 15
Actuation / HP model	Two-speed hand pump
Actuation / AP model	Air pressure
Control	Micrometer with led
Master Dies Opening / Length (mm)	90/64,5
Crimping range (mm)	6 – 61
Crimping Unit Weight (kg)	25
Crimping Unit Dimensions (LxWxH mm)	230 x 200 x 275

FOOT PUMP / HAND PUMP





STANDARD DIE SETS		
Size	Range (mm)	Length
38-06	6-8	45
38-08	8-11	45
38-11	11-14	45
38-14	14-17	45
38-17	17-20	45
38-20	20-23	55
38-23	23-26	55
38-26	26-30	55
38-30S	30-34	60
38-34S	34-39	60
38-39S	39-45	65
38-45S	45-51	65
38-51S	51-61	65

TECHNICAL SPECIFICATIONS	
Max Hose Size	1" 4 SH, 1 1/2"
Crimping Force (kN)	1200
Max Crimping Diameter (mm)	61
Max Opening (mm)	die diameter + 23
Actuation / HP model	Two-speed hand pump
Actuation / AP model	Air pressure
Control	Micrometer with led
Master Dies Opening / Length (mm)	98/64,5
Crimping range (mm)	6 – 61
Crimping Unit Weight (kg)	25
Crimping Unit Dimensions (LxWxH mm)	230 x 200 x 275

FOOT PUMP / HAND PUMP





STANDARD DIE SETS		
Size	Range (mm)	Lenght
32-08	8-11	40
32-11	11-14	40
32-14	14-17	40
32-17	17-20	40
32-20	20-23	45
32-23	23-26	50
32-26	26-31	50
32-31	31-34	55
32-34	34-39	60
32-39	39-43	60
32-43	43-45	65
32-45	45-55	65

TECHNICAL SPECIFICATIONS	
Max Hose Size	1 1/4" 2SN, 1" 4SP
Crimping Force (kN)	1450
Max Crimping Diameter (mm)	55
Max Opening (mm)	die diameter + 15
Standard Motor	2,2kW 380V 3-Ph
Control	Manual vernier
Master Dies Opening / Length (mm)	90/66
Crimping range (mm)	8-55
Weight (kg)	125 (including oil)
Dimensions (LxWxH mm)	630 x 430 x 590
Quick Change-set	Optional
Stand for machine	Optional



Quick Change Set: including storage rack & handle



Solid stand with ability to mount the Quick Change set and machine

*Different voltage versions available




STANDARD DIE SETS		
Size	Range (mm)	Length
38-08	8-11	45
38-11	11-14	45
38-14	14-17	45
38-17	17-20	45
38-20	20-23	55
38-23	23-26	55
38-26	26-30	55
38-30	30-34	75
38-34	34-39	75
38-39	39-45	85
38-45	45-51	85
38-51	51-61	85

TECHNICAL SPECIFICATIONS	
Max Hose Size	1 1/2" 2 SP, 1 1/4" 2SN
Crimping Force (kN)	1500
Max Crimping Diameter (mm)	61
Max Opening (mm)	die diameter + 30
Standard Motor	4 kW 380V 3-Ph
Control	EC control
	SC control
Master Dies Opening / Length (mm)	105/105
Crimping range (mm)	8 – 61
Weight (kg)	175 (including oil)
Dimensions (LxWxH mm)	640 x 565 x 640
Quick Change-set	Optional
Foot pedal	Optional (only for SC version)
Stand for machine	Optional



Quick Change Set: including storage rack & handle



Solid stand with ability to mount the Quick Change set and machine



Foot pedal only for SC version

*Different voltage versions available




STANDARD DIE SETS		
Size	Range (mm)	Lenght
25-8	8-11	40
25-11	11-14	40
25-14	14-17	40
25-17	17-20	40
25-20	20-23	45
25-23	23-26	50
25-26	26-31	50
25-31	31-34	55
25-34	34-39	60
25-39	39-49	60

TECHNICAL SPECIFICATIONS	
Max Hose Size	1" 4 SP
Crimping Force (kN)	1100
Max Crimping Diameter	49 mm
Max Opening	die diameter + 10mm
Control	Micrometer
Master Dies Opening / Length (mm)	85/66
Crimping range (mm)	8mm - 49mm
Weight (kg)	29
Dimensions (LxWxH mm)	285 x 210 x 340

Micrometer





STANDARD DIE SETS		
Size	Range (mm)	Lenght
25-8	8-11	40
25-11	11-14	40
25-14	14-17	40
25-17	17-20	40
25-20	20-23	45
25-23	23-26	50
25-26	26-31	50
25-31	31-34	55
25-34	34-39	60
25-39	39-49	60

TECHNICAL SPECIFICATIONS	
Max Hose Size	1" 4 SP
Crimping Force (kN)	1100
Max Crimping Diameter	49 mm
Max Opening	die diameter + 10mm
Control	Manometer
Master Dies Opening / Length (mm)	85/66
Crimping range (mm)	8mm - 49mm
Weight (kg)	29
Dimensions (LxWxH mm)	285 x 210 x 340